


Two-way
motorised
swing -leaf
turnstile



Wing40

**Quality and elegance
designed by Came.**

Wing40 is the new Came
motorised swing turnstile.
It is elegant, graceful, silent and
extremely fast.
For prestigious environments...
Came quality and design.
Made in Italy!




Wing40

Technology in only 168 mm of diameter!


It is elegant, graceful, silent and quick. The new Wing40 has numerous qualities. Ideal for controlling access to prestigious places such as hotels, banks, showrooms, swimming pools, gyms, casinos and wellness centers.

Wing40 with its brand-new and exclusive design offers top technology performance and peculiarities.

Adaptable to any need, it has been designed to make passage easy for physically challenged people (with 900 mm leaf).



The **RED LUMINOUS CROWN** signals when the turnstile leaf is closing.



The **GREEN LUMINOUS CROWN** signals when the turnstile leaf is opening.




The **BLUE LUMINOUS CROWN** indicates when the turnstile leaf is about to close. (The pre-flashing time is adjustable electronically).

Easily accessible
function programming and viewing display.

Motor with Encoder
for easier handling of the slow-down and obstacle-detection phases.

Control board, feeder and electric brake are built-into the automation.



Activating movement
via transponder and magnetic cards, buttons or photocells.

Memory Roll to save configuration parameters and user details.

Stainless steel structure
with plexiglass or tempered glass leaves.

Speed adjustment
of the leaf directly from the control board.

One single automation, different solutions!

Wing40 is available in the combined version with double-leaf. Four different leaves, in plexiglass or tempered glass with 600 or 900 mm length, for managing very wide pedestrian passages.

(Up to 1850 mm net passage-room width).



Benefits of Wing40

- **Innovative restyling**
with its completely overhauled design, it is a concentrate of aesthetic and technological solutions in terms of installation and operation. The leaf is fixed inside the automation, giving a hint of harmony, with its smooth and essential profile.
- **The luminous crown**
built-into the automation, signals the leaf movement and the functioning state.
- **A concentrate of technology**
the control board, the feeder and the electric brake are built-into the automation in only 168 mm of diameter.
- **The built-in electric brake**
lock the automation, so that only authorized users can access the place.



Limits to use

MODEL	PSWNG40
Max leaf length (m)	0,9
Max leaf weight (Kg)	15
Max leaf opening (°)	90

● 24 V DC

Global entry control

The Wing40 series swing turnstile system can be connected to many of the Came access control systems that allow identification, memorization; and entry and exit only to authorised personnel. The equipment can also be integrated with a global access control system for specific departments in a company or the services offered by at large facilities.





The complete range

Motorised swing turnstile

001PSWNG40  Single bidirectional 24 V DC motorized swing-turnstile in AISI 304 inox steel fitted with control board.

Accessories

- 001PSWL60 Plexiglass leaf L = 600 mm, Th = 10 mm.
- 001PSWL90 Plexiglass leaf L = 900 mm, Th = 10 mm.
- 001PSWL60C Tempered glass leaf L = 600 mm, Th = 10 mm.
- 001PSWL90C Tempered glass leaf L = 900 mm, Th = 10 mm.




GARANZIA QUALITÀ ORIGINALE

Came products are entirely engineered and built in ITALY



Came Cancelli Automatici S.p.A. is Quality and Environmentally certified
UNI EN ISO 9001
UNI EN ISO 14001

Dimensions (mm)



Technical features

Type	PSWNG40
IP protection rating	IP40
Power supply (V - 50/60 Hz)	230 AC
Motor power supply (V - 50/60 Hz)	24 DC
Power rating (W)	120
Opening speed at 90° (s)	1
Operating temperature (°C)	-20 ÷ +55

 24 V DC



Came
cancelli automatici
S.p.A.

via Martiri della Libertà, 15
31030 Dosson di Casier - Treviso - Italy

www.came.com - info@came.it

© Came - 06/2012 - KDEP#CEN2CA3S512
All data have been drawn up and verified with the utmost care. We are in no way liable for any errors and/or omissions.
The data and information shown in this catalogue are subject to change without the obligation to give prior notice by Came cancelli automatici S.p.A.